


# MATERIAL SAFETY DATA SHEET

TEXAROME, INC.  
P.O. BOX 159  
LEAKEY, TX 78873  
(830) 232-6079

DATE:  
  
EMERGENCY TELEPHONE  
NUMBER: (830) 232-6079

NFPA HAZARD  
CLASSIFICATIONS:

H – HEALTH  
F – FLAMMABILITY  
R – REACTIVITY  
NF – NOT FOUND



## **I. IDENTIFICATION**

**II.** LABEL NAME: CEDARWOOD OIL WATER SOLUBLE  
TRADE OR PRODUCT NAME: SAME  
FDMA NO: NONE

CAS NO.: CAS-8000-27-9

## **III. FIRE, EXPLOSION AND REACTIVITY DATA**

FLASH

POINT (METHOD): GREATER THAN 200° F CLOSED CUP

EXTINGUISHING WATER  
MEDIA \_\_\_\_\_ FOG  CO2  FOAM  CHEMICAL

0 – LEAST  
1 – SLIGHT  
2 – MODERATE  
3 – HIGH  
4 – EXTREME

DOT HAZARD CLASSIFICATION: NON-HAZARDOUS

SPECIAL FIREFIGHTING PROCEDURES: NONE  
UNUSUAL FIRE & EXPLOSION HAZARDS: NONE

HAZARDOUS COMBUSTIBLE OR

DECOMPOSITION PRODUCTS: BURNING LIBERATES CARBON MONOXIDE, CARBON DIOXIDE AND SMOKE.

STABILITY: STABLE UNDER NORMAL CONDITIONS

CONDITIONS TO AVOID: AVOID HEAT AND FLAME  
MATERIALS TO AVOID: AVOID STRONG OXIDIZING AGENTS

HAZARDOUS POLYMERIZATION PRODUCTS: NONE

## **IV. PHYSICAL DATA**

ODOR, APPEARANCE AND

PHYSICAL STATE: DARK REDDISH BROWN OR LIGHT YELLOW LIQUID WITH SURFACTANT, OR PARTLY SOLID WITH A CEDAR ODOR

BOILING POINT: NF °C °F  
MELTING POINT: NF °C °F

SPECIFIC  
GRAVITY  
(H<sub>2</sub>O – 1.0): 0.954 – 0.967

VAPOR PRESSURE: NFmmHg at °C °F  
VAPOR DENSITY (AIR = 1): NF

SOLUBILITY IN H<sub>2</sub>O: INSOLUBLE

**V. PROTECTION INFORMATION**

RESPIRATORY: NOT USUALLY REQUIRED  
EYE: CHEMICAL GOGGLES  
OTHER PROTECTIVE DEVICES AND PROCEDURES: NONE

VENTILATION: MECHANICAL  
SKIN: PROTECTIVE GLOVES

**VI. OCCUPATIONAL EXPOSURE LIMIT**

THRESHOLD LIMIT VALUE (TLV): NOT ESTABLISHED  
OSHA PERMISSIBLE EXPOSURE LIMIT: NOT ESTABLISHED

HAS THE SUBSTANCE BEEN LISTED AS A CARCINOGEN OR POTENTIAL CARCINOGEN IN THE "ANNUAL REPORT ON CARCINOGENS" PUBLISHED BY NTP, BY THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, OR BY OSHA? YES \_\_\_ NO X

**HEALTH HAZARD INFORMATION**

HEALTH HAZARD DETERMINATION: MAY BE IRRITATING TO THE SKIN AND EYES

**VII. EMERGENCY AND FIRST AID PROCEDURES**

INHALATION EXPOSURE: PROVIDE FRESH AIR

EYE CONTACT: IRRIGATE WITH WATER AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, OBTAIN MEDICAL ADVICE.

SKIN CONTACT: WASH WITH SOAP AND WATER; IF IRRITATION PERSISTS, OBTAIN MEDICAL ADVICE

INGESTION: RINSE MOUTH WITH WATER; DRINK MILK; OBTAIN MEDICAL ADVICE.

**VIII. SPILL, LEAK, AND DISPOSAL PROCEDURES**

PRECAUTIONS IF MATERIAL IS SPILLED OR RELEASED:

REMOVE SOURCES OF IGNITION

ABSORB FREE MATERIAL ON SAWDUST, SAND OR OTHER ABSORBENT MATERIAL

DISPOSE IN APPROVED MANNER

WASTE DISPOSAL METHODS:

INCINERATE OR REMOVE TO LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

**IX. HANDLING AND STORAGE PROCEDURES**

KEEP AWAY FROM HEAT AND FLAME. PROVIDE ADEQUATE VENTILATION.  
KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.

**X. CHEMICAL AND COMMON NAMES**

CEDARWOOD OIL TEXAS  
CEDARWOOD OIL TEXAS LIGHT  
CEDARWOOD OIL TEXAS DARK  
CEDARWOOD OIL WATER SOLUBLE

CEDARWOOD OIL PERFUMER GRADE  
CEDARWOOD OIL INDUSTRIAL GRADE  
CEDARWOOD OIL TERPENES  
CEDROL PRIME

**NOTICE**

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM CURRENT AND REPUTABLE SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, THE DATA IS PROVIDED WITHOUT WARRANTY, EXPRESS OR IMPLIED. CONDITIONS OF USE ARE BEYOND TEXAROMES CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING AND DISPOSAL OF THIS PRODUCT. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.